

Mental Health Continuum Model

Normal functioning Common and reversible distress Severe and persistent functional impairment Clinical disorder Severe functional impairment

- Normalizes mental health fluctuations
- Movement in both directions: expectancy of recovery
- Earlier recognition & intervention leads to better outcomes



Self Awareness

HEALTHY	REACTING	INJURED	ILL
Normal mood fluctuations Calm & takes things in stride Good sense of humour Performing well In control mentally	Irritable/Impatient Nervous Sadness/Overwhelmed Displaced sarcasm Procrastination Forgetfulness	Anger Anxiety Pervasively sad/Hopeless Negative attitude Poor performance/Workaholic Poor concentration/ decisions	Angry outbursts/aggression Excessive anxiety/panic attacks Depressed/Suicidal thoughts Overt insubordination Can't perform duties, control behaviour or concentrate
Normal sleep patterns Few sleep difficulties	Trouble sleeping Intrusive thoughts Nightmares	Restless disturbed sleep Recurrent images/ nightmares	Can't fall asleep or stay asleep Sleeping too much or too little
Physically well Good energy level	Muscle tension/Headaches Low energy	Increased aches and pains Increased fatigue	Physical illnesses Constant fatigue
Physically and socially active	Decreased activity/ socializing	Avoidance Withdrawal	Not going out or answering phone
No/limited alcohol use/ gambling	Regular but controlled alcohol use/gambling	Increased alcohol use/ gambling – hard to control	Alcohol or gambling addiction Other addictions



When is it time to seek help?

Yellow-orange zone

- Negative feelings that persist over an extended period of time
- Decreased enjoyment
- Changes in performance
- Ongoing sleep problems
- Physical symptoms
- Problems negatively impact relationships in your life